

TARIFA DE PRECIOS

Varta Standart 12V

Referencia	Precio Mercado	Precio 	Capacidad 20h a 27° (Ah)	Intensidad en frío a 18°		Dimensiones L - A - Alt	Esquema montaje	Suj.
				U10s/7,5V A (EN)	U30s/9,0V A (DIN)			
F9w	168,55 €	148,32 €	88	640	395	353-175-190	1	B13
I5w	196,27 €	172,72 €	110	680	410	347-173-234	1	-
J10w	245,28 €	215,85 €	125	720	430	349-175-290	0	-
J1w	228,06 €	200,69 €	135	1000	600	514-175-210	3	B03
K4w	277,18 €	243,92 €	143	950	570	514-218-210	3	B03
M1w	334,25 €	294,14 €	170	800	490	510-218-230	3	B03
M6w	347,01 €	305,37 €	170	1000	600	513-223-223	4	-
M4w	340,11 €	299,30 €	180	1000	600	513-223-223	3	-
N2w	410,52 €	361,26 €	200	1050	630	518-276-242	3	-
N6w	465,28 €	409,44 €	225	1150	680	518-276-242	3	-

Varta ASIAN dynamic

Referencia	Precio Mercado	Precio 	Capacidad 20h a 27° (Ah)	Intensidad en frío a 18°		Dimensiones L - A - Alt	Esquema montaje	Suj.
				U10s/7,5V A (EN)	U30s/9,0V A (DIN)			
A14	95,76 €	84,27 €	40	330	200	187-127-227	0	-
A15	95,76 €	84,27 €	40	330	200	187-127-227	1	-
B34	98,14 €	86,36 €	45	330	200	238-129-227	1	-
D47	121,51 €	106,93 €	60	420	255	232-173-225	0	-
E23	141,35 €	124,38 €	70	570	340	261-175-220	0	B01
E24	141,35 €	124,38 €	70	570	340	216-175-220	1	B01
G7	187,98 €	165,42 €	95	680	410	306-173-225	0	-
G8	187,98 €	165,42 €	95	680	410	306-173-225	1	-

TARIFA DE PRECIOS

Varta Standart 6V

Referencia	Precio Mercado	Precio 	Capacidad 20h a 27° (Ah)	Intensidad en frío a 18° U30s/9,0V A (DIN)	Dimensiones L - A - Alt	Esquema montaje	Suj.
00414	32,94 €	28,99 €	4	10	71-71-96	1	-
01100	54,40 €	47,88 €	11	80	122-62-132	0	B00
14023	121,05 €	117,42 €	140	720	260-175-236	0	B01
15030	134,15 €	130,13 €	150	760	333-175-235	0	B11

Varta Blue dynamic 'High Performance'- húmeda - 12 voltios

Referencia	Precio Mercado	Precio 	Capacidad 20h a 27° (Ah)	Intensidad en frío a 18° U10s/7,5V A (DIN)	Dimensiones L - A - Alt	Esquema montaje	Suj.
C6	116,46 €	102,49 €	50	540	207-175-175	0	B13
D21	121,22 €	106,67 €	60	640	242-175-175	0	B13
D15	122,61 €	107,90 €	62	600	242-175-190	0	B13
D39	122,61 €	107,90 €	62	600	242-175-190	1	B13
E38	158,57 €	139,54 €	75	720	278-175-175	0	B13
G13	192,39 €	169,30 €	95	850	353-175-175	0	B13

Varta Ultra dynamic 'AGM'- húmeda - 12 voltios

Referencia	Precio Mercado	Precio 	Capacidad 20h a 27° (Ah)	Intensidad en frío a 18° U10s/7,5V A (DIN)	Dimensiones L - A - Alt	Esquema montaje	Suj.
E39	245,34 €	215,90 €	70	760	278-175-190	0	B13
G14	320,74 €	282,25 €	90	850	353-175-190	0	B13

TARIFA DE PRECIOS

Varta PRO motive 12 voltios

Referencia	Precio Mercado	Precio 	Capacidad 20h a 27° (Ah)	Capacidad de arranque en frío EN (A)	Dimensiones L - A - Alt	Esquema montaje	Suj.
K10	277,18 €	243,92 €	140	490	513-189-223	3	-
M8	340,11 €	299,30 €	170	600	513-223-223	3	-
M9	340,11 €	299,30 €	170	600	513-223-223	3	B03
M18	389,47 €	342,73 €	180	600	513-223-223	3	-
M16	354,09 €	354,09 €	180	600	513-223-223	4	B03

Varta semitracción

Referencia	Precio Mercado	Precio 	Voltaje	Capacidad a 27°		Dimensiones L - A - Alt	Esquema montaje	Suj.
				20 h (Ah)	5 h (Ah)			
M12t	360,70 €	317,42 €	6	240	180	244-190-275	0	-
A23t	131,78 €	115,96 €	12	50	40	211-175-190	0	B03
C24t	138,39 €	121,78 €	12	60	50	246-175-190	0	B03
D41t	148,25 €	130,46 €	12	80	60	278-175-190	0	B03
E33t	201,09 €	176,96 €	12	90	75	353-175-190	0	B03
I12t	286,35 €	251,98 €	12	130	105	513-189-223	3	-
J12t	379,49 €	333,95 €	12	180	135	513-223-223	3	-
M13t	475,08 €	418,07 €	12	230	180	518-276-242	3	-

Varta SILVER dynamic

Referencia	Precio Mercado	Precio 	Capacidad 20h a 27° (Ah)	Intensidad en frío a 18°		Dimensiones L - A - Alt	Esquema montaje	Suj.
				U10s/7,5V A (EN)	U30s/9,0V A (DIN)			
B10*	77,40 €	74,30 €	43	480	290	212-175-175	0	B13
B12	77,40 €	74,30 €	44	450	275	212-175-190	0	B13
B14	78,20 €	75,07 €	45	480	290	242-175-175	0	B14
D15	91,80 €	88,13 €	62	600	360	242-175-190	0	B13
D17	107,20 €	102,91 €	66	640	385	278-175-190	0	B13
F4	143,60 €	137,86 €	88	850	510	353-175-190	0	B13

TARIFA DE PRECIOS

Varta BLUE dynamic Standard Performance - húmeda - 12 voltios

Referencia	Precio Mercado	Precio 	Capacidad 20h a 27° (Ah)	Arranque en frío a 18° U10s/7,5V (EN)	Dimensiones L - A - Alt	Esquema montaje	Suj.
B35	95,76€	84,27€	40	360	175-175-190	0	B13
B19	92,45€	81,36€	44	360	207-175-190	0	B13
B20	95,93€	84,42€	44	360	207-175-190	1	B13
B17	96,34€	84,78€	45	420	207-175-175	OF	B13
B23	96,34€	84,78€	45	300	219-135-225	0	B01
B24	96,34€	84,78€	45	300	219-135-225	1	B01
B18	96,34€	84,78€	45	420	207-175-175	0	B13
B22	96,92€	85,29€	45	420	207-175-175	0	B14
C22	109,21€	96,11€	50	420	207-175-190	0	B13
C14	111,88€	98,46€	55	420	207-175-190	0	B13
C10	111,88€	98,46€	55	540	242-175-175	0	B13
C11	111,88€	98,46€	55	540	242-175-175	0	B13
C15	111,88€	98,46€	55	420	242-175-190	1	B13
D24	108,05€	95,09€	62	480	242-175-190	0	B13
E10	133,75€	117,70€	70	640	278-175-175	OF	B13
E9	133,75€	117,70€	70	640	278-175-175	0	B13
D25	133,75€	117,70€	70	640	278-175-175	0	B14
E11	139,03€	122,34€	74	680	278-175-190	0	B13
E12	143,67€	126,43€	74	680	278-175-190	1	B13
F17	138,37€	148,17€	80	720	315-175-175	0	B13
F5	168,37€	148,17€	85	760	353-175-175	0	B13
F6	172,03€	151,38€	90	720	353-175-190	0	B13
H3	175,04€	154,04€	100	800	353-175-190	0	B13
I1	204,45€	179,92€	110	850	393-175-190	0	B13

TARIFA DE PRECIOS

Varta Standard para motos - 12 voltios


Referencia	Precio Mercado	Precio 	Capacidad 20h a 27° (Ah)	Intensidad en frío a 18°		Dimensiones L - A - Alt	Esquema montaje	Suj.
				U10s/7,5V A (EN)	U30s/9,0V A (DIN)			
50312	36,48 €	29,19 €	3	10	8	100-58-112	0	i
50411	42,86 €	34,29 €	4	20	14	121-71-93	0	d
50512	45,36 €	36,28 €	5	30	15	121-61-131	0	d
50713	53,71 €	42,97 €	7	40	25	137-76-135	1	i
50813	58,35 €	46,68 €	8	80	50	137-76-134	1	i
50914	56,67 €	45,33 €	9	80	45	136-76-140	1	d
50914	56,67 €	45,33 €	9	80	45	136-76-140	0	d
51112	63,39 €	50,72 €	11	90	55	136-91-147	0	i
51113	65,54 €	52,43 €	11	90	55	136-91-146	0	d
51211	66,47 €	53,17 €	12	120	72	136-81-162	1	i
51213	69,89 €	55,91 €	12	120	72	136-81-162	0	i
51411	70,82 €	56,65 €	14	140	84	136-91-166	0	i
51412	70,82 €	56,65 €	14	140	84	136-91-168	1	i
51413	70,82 €	56,65 €	14	140	84	136-91-168	0	d
51414	98,54 €	78,83 €	14	140	84	136-91-168	1	d
51615	98,54 €	78,83 €	16	160	96	160-90-161	1	i
51616	98,54 €	78,83 €	16	120	72	207-72-164	0	i
51814	102,14 €	81,71 €	18	150	90	186-82-171	0	d
51815	102,14 €	81,71 €	18	180	108	181-92-164	0	i
51911	124,47 €	99,57 €	19	190	114	176-101-156	0	d
51912	102,14 €	81,71 €	19	190	114	176-101-156	1	d
51913	102,14 €	81,71 €	19	170	100	186-82-171	0	i
51914	104,11 €	83,29 €	19	180	110	176-101-176	0	d
52012	112,35 €	89,99 €	20	200	120	207-92-171	0	i
53030	119,48 €	95,58 €	20	300	180	186-130-171	0	d

TARIFA DE PRECIOS

Varta Motos - sellada (LF) - 12 voltios

Referencia	Precio Mercado	Precio 	Capacidad 20h a 27° (Ah)	Intensidad en frío a 18°		Dimensiones L - A - Alt	Esquema montaje	Suj.
				U10s/7,5V A (EN)	U30s/9,0V A (DIN)			
50314	63,80 €	51,04 €	3	30	15	114-71-86	0	-
50412	86,59 €	69,28 €	4	30	20	114-71-106	0	-
50614	98,54 €	78,83 €	6	50	30	114-71-131	0	-
50615	100,51 €	80,41 €	6	50	30	151-88-94	1	-
50812	106,78 €	85,42 €	8	80	48	152-88-106	1	-
51012	133,63 €	106,91 €	10	90	55	152-88-131	1	-
51214	153,53 €	122,82 €	12	100	60	152-88-147	1	-
51801	224,81 €	179,85 €	18	260	-	177-88-156	0	-

Tipos de listones de sujeción



Esquemas de montaje

12 Voltios



6 Voltios

